

OUTDOOR CHICAGO

Art.No. 0101610

Semi-transparent, flame-retardant outdoor fabric; The curtain fabric for the contract sector was specially developed as outdoor sun and glare protection. Its flame-retardant properties make it a revolutionary new product within the sector of outdoor textiles. The fabric provides optimum colour-, light- and UV-fastness, repels water and is resistant to soiling by stains or mould. Can be used for functional outdoor and indoor shading.



Use:	Transparent/semi-transparent curtain fabric
Number of colours:	7
Special colours:	- from 400 m / 440 yds. without surcharge
Material:	100% Polyester flame retardant
Fabric width:	300 cm/118 inch/3.28 yard
Use:	Can be railroaded
Weight:	290 g/m ²
Flame-retardant properties:	
Product information:	
Care:	
Washing (length shrinkage):	0.5%
Light fastness:	7

Country of Origin: Germany

Certificates / tests: SCS Indoor Advantage Gold
Fire Test DIN 4102 B1
Light transmission

all test reports are available for download on our website under product details:




OUTDOOR CHICAGO



Col. 0903



Col. 0904




Col. 0905




Col. 0906



Col. 0907



Col. 0908



Col. 0910

Note:

Colours shown are not binding. Please request our color samples.

*Available while stocks last

SYMBOLS AND PRODUCT INFORMATION

Product information

	Inherently flame retardant
	Width (cm)
	Can be railroaded (only valid for curtains)
	Has to be railroaded
	Must not be railroaded
	Repeat in warp direction
	Repeat in weft direction
	Weight (g/m2)
	Yarn dyed
	Piece dyed
	Knitted
	Woven
	Warp print
	Screen print/burnout
	Metalized on one side
	Pearl reflex

	Free from harmful substances / Oddy
	recycled material
	Symbol for returning of used fabrics. Only valid in CH and DE.
	Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)
	light transmission level Tv, n-h
	light reflection level Pv, n-h
	light absorption level Av
	UV transmission level Tuv
	solar transmission level Te, n-h
	solar reflection level Pe, n-h
	solar absorption level Ae
	Openess factor
	Usable in a bathroom/wet room (Plissee)
	Stain resistant (Plissee)
	Various articles are only available in complete picture repeats. The price is quoted per repeat in each case.
	Additional product information

Material information

AC	Acetate
CA	Hemp
CO	Cotton
EA	Elasthan
GL	Glass fibre
LI	Linen
MD	Modal
ME	Metal
PA	Polyamide
PC	Acrylic
PE	Polyethylene
PI	Paper
PL	Polyester
PLF	Flameretardant polyester
PLF CS	Flameretardant polyester (Trevira CS)
PLF CS ECO	
PN	Polycarbonat
PP	Polypropylene
PU	Polyurethan
RA	Ramie
SE	Silk
SI	Silicone
TR	Different material (wood, paper, feathers etc.)
VI	Viscose
WM	Wool Mohair
WV	Wool

SYMBOLS AND PRODUCT INFORMATION

Intended purposes

	Curtains/Sheers		Fabrics with very high lightfastness for indoor and outdoor use
	Roller blinds (colours see separate roller blind collection)		Blackout
	Panels (process the panels in warp direction to get optimal hang properties)		Reverso
	Vertical blinds		Plissé
	Roman blinds		Comb plissé
	Upholstery (for heavy use in contract application). Martindale > 30'000		
	Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000		
	Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000		
	Loose cover for careful use in domestic application. Martindale < 5'000		
	Bedspreads		
	Table cloth domestic use		
	Wallcovering		
	Textile wallpaper (can be paper backed, minimum quantity)		
	Cushion		
	Acoustical fabrics		
	Adhesive Textiles/Gecko/Gecko in the Box		